

EU Reifen

225 70 19.5 EU



Winterreifen / Sommerreifen

Winterprofil / Sommerprofil

270,-€ / 250,-€ inkl. MwSt.

Qualitätsreifen mit EU Kennzeichnung und Seitenwandverstärkung.
US Importe sind wegen Geschwindigkeitsindex nicht in Deutschland zugelassen.
Mit Herstellergarantie, ausgenommen bei unsachgemäßer Nutzung.

Fragen Sie einfach unverbindlich nach.
Ihr Team von Müller's Motorhomes & Campingworld GmbH

TIRES • TIRE CHANGING TOOL

RUNNING GEAR

0

In Section O:	Husky Brake Parts	Brake, Axle Parts & Hubs	Undercarriage Protectors	Wheels	Steering Stabilizers	Springs & Shocks	Lube, Oil & Fuel
---------------	-------------------	--------------------------	--------------------------	--------	----------------------	------------------	------------------



Wheel not included

8"-12" Sizes



13"-15" Sizes



Radial

STANDARD HIGHWAY TRAILER AND GOLF CART TIRES WITH BLACK SIDEWALLS

Feature a stylized look with a lower sidewall that renders a higher degree of sidehill stability. DOT rated. 8" to 15" wheel diameter.

 Denotes Limited Supply!


STANDARD HIGHWAY TRAILER TIRES: BLACK SIDEWALLS, 8"-15" WHEEL DIAMETER								
Wheel Size	Tire Size	Load Range	LOAD LIMIT		Dia. Inches	Width Inches	Item #	
			lbs.	psi				
8"	570x8	B	715	50	18.3	5.7	79842	
8"	570x8	C	910	75	18.3	5.7	79843	
10"	20.5x8x10	B	905	35	20.6	8.1	79846	
10"	20.5x8x10	C	1105	50	20.6	8.1	79847	
12"	480x12	B	780	60	20.6	4.9	79848	
12"	530x12	C	1045	80	21.4	5.4	79851	
13"	ST175/80D13	B	1100	35	24.3	6.8	71206	
13"	ST175/80D13	C	1360	50	24.3	6.8	71207	
14"	ST205/75D14	C	1760	50	26.9	8.0	78564	
14"	ST215/75D14	C	1870	50	27.1	8.2	71204	
15"	ST205/75D15	C	1820	50	28.0	8.1	79859	
15"	ST225/75D15	C	2150	50	29.2	8.6	79860	

NOTE: Tires cannot be sold online into the state of New York; these tires will be available at NY dealer locations only.

ST-SERIES RADIAL TIRES (WITHOUT WHEEL)

One of the best trailer tires in the industry, the ST-Series Radial boasts superb wet road traction, good highway stability, and improved fuel economy. The ST Radial is rated one of the best tires for wear performance.

ST-SERIES RADIAL TIRE (WITHOUT WHEEL)								
Tire Size	Load Range	Overall Width	Overall Dia.	Max. Inflation lbs. psi.	Max. Load lbs.	Tread Depth 32nds. in.	Item #	
ST175/80R13	C	6.7"	24.3"	50	1360	11	78563	
ST205-75-R15C	C	8.0"	27.2"	50	1820	10	57255	
ST215/75R14	C	8.0"	27.0"	50	1870	12	78565	
ST225/75R15	C	8.4"	28.4"	50	2150	12	78566	
ST225/75R15	D	8.4"	28.4"	65	2540	12	78567	




CAMCO
TIRE CHANGING TOOL

Assists in lifting to easily mount and dismount tires while changing a spare. Lightweight and easy to travel with.

31822 Tire Changing Tool
#44511 

In Section O:	Husky Brake Parts	Brake, Axle Parts & Hubs	Undercarriage Protectors	Wheels	Steering Stabilizers	Springs & Shocks	Lube, Oil & Fuel
---------------	-------------------	--------------------------	--------------------------	--------	----------------------	------------------	------------------

STANDARD HIGHWAY TRAILER WHEELS



Denotes Limited Supply!

STANDARD HIGHWAY TRAILER WHEELS ONLY							
Wheel Size	Bolt Circle	Wheel Design	Center Hole	Rim Width	Load Size	Item #	
8"	4 -4.00"	Standard, White	2.81"	3-3/4"	910	79815	
10"	4 -4.00"	Standard, White	2.50"	6", 11 Ga.	1330	79816	
10"	5 -4.50"	Standard, White	2.81"	6", 11 Ga.	1535	79822	
12"	4 -4.00"	Standard, White	2.80"	4"	1045	79817	
12"	5 -4.50"	Standard, White	2.80"	4"	1045	79823	
12"	5 -4.50"	Spoke, White	2.80"	4"	1045	79824	
13"	4 -4.00"	Standard, White	2.80"	4-1/2"	1100	79819	
13"	4 -4.00"	Spoke, White	2.80"	4-1/2"	1100	79820	
13"	5 -4.50"	Standard, Black	3.30"	4-1/2"	1360	79825	
13"	5 -4.50"	Standard, White	3.30"	4-1/2"	1360	79826	
13"	5 -4.50"	Spoke, White	3.30"	4-1/2"	1360	79827	
13"	5 -4.50"	White Modular	3.30"	4-1/2"	1360	78568	
14"	5 -4.50"	Spoke, White	3.30"	6"	1870	79829	
14"	5 -4.50"	Spoke, Galvanized	3.30"	6"	1870	79838	
14"	5 -4.50"	White Modular	3.30"	6"	1870	78569	
15"	5 -4.50"	White Spoke	3.30"	6"	2150	78570	
15"	5 -4.50"	Spoke, Galvanized	3.30"	6"	2150	79839	
15"	5 -4.50"	Standard, Black	3.30"	6"	2150	79830	
15"	6 -5.50"	Spoke, White	4.28"	6"	2540	79832	

NOTE: Tires cannot be sold online into the state of New York; these tires will be available at NY dealer locations only.

MODULAR WHEEL AND TIRE ASSEMBLIES

Denotes Limited Supply!

WHEEL & TIRE ASSEMBLY						
Wheel Size	# Holes	Bolt Circle	Wheel	Includes Mounted Tire	Item #	
13x4.5	5	4.50"	White Modular	ST175/80D13C Trailer	78573	
14x6	5	4.50"	White Spoke	ST205/75R14C Radial	78574	
14x6	5	4.50"	Chrome Modular	ST205/75R14C Radial	57247	
14x6	5	4.50"	Chrome Modular	ST215/75R14C Radial	57248	
15x6	5	4.50"	White Spoke	ST225/75R15C Radial	78575	
15x6	5	4.50"	Chrome Modular	ST225/75R15C Radial	57250	
15x6	6	5.50"	White Modular	ST225/75R15C Radial	78576	
15x6	6	5.50"	White Modular	ST225/75R15D Radial	78577	
15x6	6	5.50"	Chrome Modular	ST225/75R15D Radial	57251	
15.5	5	4.50"	White Spoke	ST205/75R15C Radial	57253	
15.5	5	4.50"	White Supreme	ST205/75R15C Radial	57252	



In Section O:	Husky Brake Parts	Brake, Axle Parts & Hubs	Undercarriage Protectors	Wheels	Steering Stabilizers	Springs & Shocks	Lube, Oil & Fuel
---------------	-------------------	--------------------------	--------------------------	--------	----------------------	------------------	------------------

STANDARD TRAILER WHEEL & TIRE ASSEMBLIES

 Denotes Limited Supply!

8"-12"
Sizes



13"-15"
Sizes



STANDARD HIGHWAY TRAILER WHEEL AND TIRE ASSEMBLIES							
Wheel Size	Bolt Circle	Wheel Design	Center Hole	Rim Width	Load Size	Tire Size	Item #
8"	4 -4.00"	Plain, White	2.81"	3-3/4"	B	480x8	79775
8"	4 -4.00"	Plain, White	2.81"	3-3/4"	C	480x8	79776
8"	4 -4.00"	Plain, White	2.81"	3-3/4"	B	570x8	79777
8"	4 -4.00"	Plain, Galvanized	2.81"	3-3/4"	B	480x8	79771
8"	4 -4.00"	Plain, Galvanized	2.81"	7"	B	18.5x8.5x8	71847
8"	5 -4.50"	Plain, White	2.81"	3-3/4"	B	480x8	79790
8"	5 -4.50"	Plain, White	2.81"	3-3/4"	B	570x8	79792
8"	5 -4.50"	Plain, White	2.81"	3-3/4"	C	480x8	79791
8"	5 -4.50"	Plain, Galvanized	2.81"	3-3/4"	B	480x8	79787
10"	5 -4.50"	Plain, White	2.81"	6", 11 Ga.	C	20.5x8.0-10	79786
12"	4 -4.00"	Plain, White	2.80"	4"	B	480x12	79778
12"	4 -4.00"	Plain, White	2.80"	4"	C	530x12	72899
12"	4 -4.00"	Spoke, White	2.80"	4"	B	480x12	79779
12"	4 -4.00"	Spoke, White	2.80"	4"	C	530x12	72890
12"	4 -4.00"	Spoke, Galvanized	2.80"	4"	B	480x12	79773
12"	4 -4.00"	Spoke, Galvanized	2.80"	4"	C	530x12	72891
12"	5 -4.50"	Plain, White	2.80"	4"	B	530x12	79796
12"	5 -4.50"	Spoke, White	2.80"	4"	B	480x12	79794
12"	5 -4.50"	Spoke, White	2.80"	4"	C	530x12	72876
12"	5 -4.50"	Spoke, Galvanized	2.80"	4"	B	480x12	79788
12"	5 -4.50"	Spoke, Galvanized	2.80"	4"	C	530x12	72887
13"	5 -4.50"	Spoke, Galvanized	3.30"	4-1/2"	1100	ST175/80D13LRB	71217
13"	5 -4.50"	Spoke, White	3.30"	4-1/2"	1100	ST175/80D13LRB	71215
13"	5 -4.50"	Spoke, White	3.30"	4-1/2"	1480	ST185/80D13LRC	79802
13"	5 -4.50"	Spoke, White	3.30"	4-1/2"	1360	ST175/80D13LRC	71216
14"	5 -4.50"	Spoke, White	3.30"	6"	1760	ST205/75D14LRC	79806
14"	5 -4.50"	Spoke, Galvanized	3.30"	6"	1760	ST205/75D14LRC	71267
14"	5 -4.50"	Supreme, White	3.30"	6"	1760	ST205/75D14LRC	57242
14"	5 -4.50"	Supreme, White	3.30"	6"	1870	ST215/75D14LRC	57243
15"	5 -4.50"	Spoke, White	3.30"	6"	1820	ST205/75D15LRC	79808
15"	5 -4.50"	Supreme, White	3.30"	6"	1820	ST205/75D15LRC	57244
15"	5 -4.50"	Spoke, White	3.30"	6"	2150	ST225/75D15LRC	71214
15"	5 -4.50"	Spoke, Galvanized	3.30"	6"	2150	ST225/75D15LRC	71268
15"	6 -5.50"	Spoke, White	4.28"	6"	2150	ST225/75D15LRC	71210
15"	6 -5.50"	Spoke, White	4.28"	6"	2540	ST225-75D15LRD	79814
15"	6 -5.50"	Supreme, White	4.25"	6"	2540	ST225/75D15LRD	57246

NOTE: Tires cannot be sold online into the state of New York; these tires will be available at NY dealer locations only.

nVISION™ TIRE PRESSURE MONITORING SYSTEM**Easiest to Install and Use**

- Do it yourself...No professional installation required
- Quick-Set Installation Cord™ makes monitor portable to take with you to each tire

Monitors Proper Tire Inflation and Temperature

- 2 Stage Low Pressure Alert • High Pressure Alert • High Temperature Alert

Multi-Vehicle Memory

- 4 Programmable Memory Settings for different vehicles/trailers
- Monitors up to 24 tires simultaneously in each memory position

Fully Customizable

- Works on all sizes of tires up to 200PSI • Monitor Easily Transfers Between Vehicles

31264 Tire Pressure Monitoring Base System (Kit Includes: 1 x Monitor with non-skid pad, 1 x Power Cord, 1 x Pivoting Antenna, 1 x Quick-Set Installation Cord™, 4 x Tire Sensors), 7.5" L x 7" W x 2.25" H #30100VA [e](#)

Offer 2 additional sensors that only work with the nVISION TPMS Base System (#30100VA). The sensors easily install in minutes. All you have to do is attach each sensor to your valve stem!

31265 Additional Sensors, Pkg/2, 3.75" L x 3.5" W x 1.563" H #30101VA [e](#)

Easily extends transmission distance for sensors and intensifies signal from the sensors to the monitor. The repeater is plug-in simple. Simply plug into a 12-volt outlet and it works! Recommended if you have a vehicle that is greater than 38 feet in length.


Special Order **#31585** Signal Repeater, 0.33lb, 8.75" L x 3.3" W x 1.9" H #30300VA



31264
Kit
partially
shown



nVISION delivers
5-STAR
satisfaction,
specifically for
RV-ers and Tow-ers!



Pivoting
Antenna



31585



31265

CAMPER SPECIALTIES WHEEL & TIRE ACCESSORIES




45° TIRE VALVE EXTENDERS

- Extends Valves When Wheel Covers Are Used • Makes Tire Maintenance Easy
- Includes 2 Extenders & 2 Caps

Gives easy access to hard-to-reach front valve stems. Durable, chrome-plated, brass valve extenders are angled to lengthen front wheel valves through the opening in your wheel cover. Adds 2" to standard valves.

34721 45° Extenders, Pk/2 #80291 [12](#)



- Set/2: 2—11½" Hoses; Set/4: 2—11½" Hoses, 2—7" Hoses
- Increases Life of Tire & Improves Mileage
- Makes Tire Pressure Maintenance Easy
- Do-It-Yourself Installation

STAINLESS STEEL JACKETED DUAL TIRE INFLATORS

For use with custom wheels and with wheel simulators. Top-quality rubber with braided stainless steel jacket.

Stainless Steel Inflators:

34718 Set/4 #80011 [12](#)

34719 Set/2 #80021 [12](#)

RUBBER DUAL TIRE INFLATORS

For use with custom wheels and with wheel simulators. Top-quality rubber construction.

Rubber Dual Tire Inflators:

34716 Set/4 #80031 [12](#)

34717 Set/2 #80061 [12](#)



2 Styles: Rubber and Stainless Steel DUAL TIRE INFLATORS, For Use With Wheel Covers

- For 14" to 19.5" Rims
- Top-Quality Construction
- Simplifies Tire Pressure Maintenance
- Do-It-Yourself Installation

Now dual wheels can be inflated without removing your wheel covers! Easy to install, they simply screw onto existing valve stems and attach securely to the rim with mounting brackets. No special tools required. Each kit includes 4 hoses, stainless steel mounting brackets, retainer nuts and valve caps. Set of 4.

34720 Rubber Inflators #80081 [1](#)

37010 Stainless Steel Inflators #82081 [12](#)

2 Styles: Rubber and Stainless Steel VALVE STEM EXTENSION

- Top-Quality Construction
- Simplifies Tire Pressure Maintenance
- Do-It-Yourself Installation

This system does not alter the existing valve stem core. Extension clips to the outer rim for easy inflating of the inner tire. 7" long. Sold in pair.

30104 Tire Inflators #80071 [24](#)

30105 Stainless Steel Tire Inflators #80091 [12](#)



In Section O: Husky Brake Parts Brake, Axle Parts & Hubs Undercarriage Protectors Wheels Steering Stabilizers Springs & Shocks Lube, Oil & Fuel




WHEELINERS™ WITH FREE TIRE INFLATION KIT

Transform plain wheels into the look of custom wheels with beautiful, precision formed, polished 304L stainless steel Wheeliners®. Fit over your existing steel wheels, and requires little maintenance. Outlasts paint, outshines aluminum, and is less expensive. Includes a FREE Air Masters dual tire inflation kit with purchase. Offers the only unconditional 5 year guarantee in the industry. Most installations require no jacks or tampering with the lug nuts. Pack of 4 (2 front and 2 rear).



- 34567** 16"/16.5" Ford & Dodge (all years), GM to '2000; 8-Lug, 4-Hand Hole #160UD 1
- 30071** ^{LS} 16" Ford E-350/450, 8-Lug, 8-Hand Hole, (all years) #168EQJC 1



WHEELMASTERS UNIVERSAL LUG NUT COVER PLIERS

Removes and installs your lug nut covers quickly. Rubber-coated handles provide a non-slip grip; their 9" length makes it easy to reach down into deep-dish wheels. Heavy gauge steel.

- 33585** Lug Nut Cover Pliers #8211 12

CUSTOM LUG NUT COVERS

Dress up your plain wheels or replace lost lug nut covers with stainless steel lug nut covers. Rust and corrosion free. Fits snugly over your existing lug nuts and stays in place even in the toughest conditions.



- 33188** GM/Chevy & Other 1" Lugs, 8/Card #8010 12
- 33189** Ford 1-1/16" Lugs w/Swivel Washer 8/Card #8011 12
- 39969** Replacement Simulated Lug Nuts for Wheel Covers, 4/Pk #9003-4 12
- 33718** Valve Caps, Pk/6 #8030 12

STAINLESS STEEL WHEEL COVERS

Great looks, durability and warranty make these wheel covers the smart choice for your RV! Features a low-profile, aerodynamic design. Covers are the cost effective way to dress up your wheels and look great for years to come. Stainless steel and easy to install. The 16" and 16-1/2" models have a snap-in retention system that firmly holds the covers centered on your wheel, preventing wobble. Each set of wheel covers come with a FREE set of Dual Tire Inflators, giving you access to your dual tires without having to remove your wheel covers. Pack of 4.



16" models have a snap-in retention system that firmly holds the covers centered on your wheel, preventing wobble. Each set of wheel covers come with a FREE set of Dual Tire Inflators, giving you access to your dual tires without having to remove your wheel covers. Pack of 4.

- 33364** 16", all, Ford/GM/Dodge 8 HH, (Except Budd Wheels) 8-Lug #3160B0 1

SINGLE WHEEL COVER & ACCESSORIES

- 34602** 16" Cover for Ford, GM & Dodge (all years), 8-Lug (except Budd Wheels) #7160B1 1
- 33435** Replacement Plastic Center Cap for 19.5" #9130 12

Stainless steel braided hose



Airless S.S. braided hose

DUAL TIRE INFLATORS

Safe travel begins with safe tires, which means regularly checking tire pressure. Properly inflated tires improve gas mileage, increase safety, increase tire life and improve vehicle handling. Easy to install, no special tools required, the hoses attach to your existing valve stem (no need to remove valve core) allowing proper inflation and pressure checks in seconds.



WHEELMASTERS NICKEL-PLATED BRASS VALVE EXTENDERS

Enjoy easy access to your hard-to-reach front and rear valve stems. 45° and 90° valve extenders are angled to lengthen your front wheel valves. They extend your standard valves almost 2 inches. 135° and 180° valve extenders are angled to reverse your outer dual tire valves through the opening in the wheel for easy access. These extenders make checking and inflating your dual tires easy. Includes 2 extenders and 2 caps per package.

Valve Extenders for Front Wheels (for Aluminum and Steel Wheels), Pair:

- 34497** 45° for Wheel & Wheel Covers #8029 12
- 39205** 90° Extenders #802990 12

Valve Extenders for Outer Dual Wheels, Pair:

- 37007** 135° for Steel Wheels #8029135 12
- 37008** 180° for Aluminum Wheels #8029180 12

Valve Extenders, Straight, Pk/2:

- 30129** 2" #80292 1
- 30130** 3" #80293 1
- 30131** 4" #80294 1



HM



HHM

HUB MOUNT (HM) FOR STAINLESS STEEL WHEELS & AXLE COVERS

- 33190** 4-Hose Kit for 16"-19.5" Wheels #8001 12
- 33191** 2-Hose Kit for 16"-19.5" Inner Dual Wheels #8002 12
- HM 2 ply rubber
- 30979** 4-Hose Kit for 16"-19.5" Wheels #8003 12

HAND HOLE MOUNT (HHM) FOR STEEL WHEELS

- 39339** 2-Hose Kit for 16"-19.5" Inner Dual Wheels #8009 1

In Section O: Husky Brake Parts Brake, Axle Parts & Hubs Undercarriage Protectors Wheels Steering Stabilizers Springs & Shocks Lube, Oil & Fuel



Wheel Products

The brand more OEMs trust than all others combined. Dicor, providing an easy peace of mind.

VERSA-LINERS

AIRGARD INFLATION SYSTEMS

FASTLINERS

WHEEL COVERS



STAINLESS WHEEL SIMULATORS



With over 1 million sets in service the Versa-Liner® from Dicor is the choice of more motorhome manufacturers than all other brands combined. No need to remove lug nuts or use jacks - a complete set can be installed in about five minutes. The Versa-Liner is made of tough 304L stainless steel with permanently attached simulated lug nuts, this liner is designed for years of durable service. Highly polished, and maintenance free Versa-Liners will not rust, corrode, flake or peel. Rolled edges for tire and handling safety. The Versa-Liner attaches securely with a road proven design that stays on even in the roughest conditions. Limited 5-year warranty.

Order #	Model	Vehicle Year & Model, Wheel Description (Wheel Mfr. & Wheel No.)	Price Set/4
FORD			
S/O	V160F0	'84-1/2 to '98, 16", 8 Lug/4 Hand Hole (28333, 28511*)	
S/O	V160F1	'84-1/2 & Before, 16" & 16.5", 8 Lug/4 Hand Hole (Budd R-611-2019, R 86530), (28322, 28356*)	
34746	V160F2	'92 to 03/'07, 16", 8 Lug/8 Hand Hole (28618, 29317*) (Lug nut covers included)	
S/O	V160F4	'84-1/2 to '98, 4WD 16", 8 Lug/4 Hand Hole (28371, 28512, 29316*)	
S/O	V160F7	'97 to 03/'07, 16", 8 Lug/8 Hand Hole (28618, 29317, 29315*)	
S/O	V160F8	'99 to '02, 16", 8 Lug/4 Hand Hole (29223*)	
S/O	V160F8M	'03 to '04, 16", 8 Lug/4 Hand Hole (29348*)	
34747	V160SD	'88 to '98, Super Duty 16", 10 Lug/4 Hand Hole (28375, 28513, 28671*) (Lug nut covers included) ^{LS}	
S/O	V170F5	'05 to Current, Super Duty 17" x 6.50", 8 Lug/4 Hand Hole (29837*)	
S/O	V195F66M	'06 to Current, Super Duty 19.5" x 6.00", 10 Lug/5 Hand Hole (29883, 29884, 29839*)	
S/O	V195F6M	'06 to Current, Super Duty 19.5" x 6.75", 10 Lug/5 Hand Hole (29875, 29879, 29836*)	
S/O	V195F9	'99 to '02, Super Duty 19.5" x 6.75", 8 Lug/5 Hand Hole (29236*)	
S/O	V195F96	'99 to '02, Super Duty 19.5" x 6.00", 8 Lug/5 Hand Hole (29186*)	
S/O	V195F96M	'03 to '04, Super Duty 19.5" x 6.00", 8 Lug/5 Hand Hole (29186*)	
S/O	V195F9M	'03 to '04, Super Duty 19.5" x 6.75", 8 Lug/5 Hand Hole (29236*)	
S/O	V22553	'06 to Current, 22.5", 8 Lug 8 Hand Hole (29028*)	
CHEVROLET/GMC			
S/O	V160G4	'73 to '02, 16" & 16.5", 8 Lug/4 Hand Hole (28177, 28374, 28603, 28623, 27993, 27995*)	
S/O	V19582	'98 to Current, 19.5" W-22, 8 Lug/4 Hand Hole (28680* and Maxion W0002404)	
S/O	V195P5	'77 to Current, 19.5" P-32 Chassis, 5 Lug Front & 10 Lug Rear/5 Hand Hole (27775*) (Lug nut covers included)	
S/O	V195P8	'79 to '02, 19.5" P-32 Chassis, 8 Lug (Front & Rear) 4 Hand Hole (27774, 29015*)	
S/O	V195W18	'06 to Current, 19.5" x 6.00" W-16 & W-18 Chassis, 10 Lug/4 Hand Hole	
S/O	V22569	'99 to Current, 22.5" x 6.75", W-22, 8 Lug/4 Hand Hole (28869* and Maxion W0002403)	
S/O	V22587	'99 to Current, 22.5" x 8.25", 10 Lug/5 Hand Hole (28487* and Maxion W0003684)	
FREIGHT LINER / OSHKOSH / SPARTAN / JOHN DEERE & HEAVY DUTY WHEELS			
S/O	V1950S	'92 to Current, 19.5", 6 Lug/2 Hand Hole (28853*)	
S/O	V19582	'98 to Current, 19.5", 8 Lug/4 Hand Hole (28680, 28612, 28532*)	
S/O	V195J0	'79 to Current, 19.5", 6 Lug/6 Hand Hole (28179*) (Also use on Dodge M600)	
S/O	V22501	'97 to Current, 22.5" x 7.5", 10 Lug/5 Hand Hole (29001*)	
S/O	V22506	'92 to Current, 22.5" x 6.75", 6 Lug/6 Hand Hole (28157*)	
S/O	V22508	'96 to Current, 22.5" x 7.50", 8 Lug/4 Hand Hole (29028, 28415*)	
S/O	V22587	'99 to Current, 22.5" x 8.25", 10 Lug/5 Hand Hole (28487* and Maxion W0003684)	
S/O	V22553	'07 to Current, 22.5", UFO Chassis, 8 Lug 8 Hand Hole (29028*)	

* Accuride Wheel Nos. are given in brackets. Numbers are stamped on the wheel for easy identification. Other Versa-Liners available by Special Order to fit wheel numbers not listed.

In Section O:	Husky Brake Parts	Brake, Axle Parts & Hubs	Undercarriage Protectors	Wheels	Steering Stabilizers	Springs & Shocks	Lube, Oil & Fuel
---------------	-------------------	--------------------------	--------------------------	--------	----------------------	------------------	------------------



STAINLESS STEEL WHEEL COVERS



WHEEL COVERS

Enhances the appearance of any vehicle. The durability of 304L stainless steel virtually eliminates rust or staining and provides long-lasting, maintenance-free performance. Features a road-proven attachment system. Used by more RV manufacturers than all other brands. Installation is quick and easy. Includes attachment hardware. Will not fit Budd Wheels or Split Rims.

Stainless Steel Wheel Covers, 4/Set:

- 34735** 16" Single or Dual Wheel 8-Lug (including 1992 Ford) #SHFM16 1
S/O 16.5" Single or Dual 8-Lug Mounted Wheels #SHFM65
- S/O 16" Universal 10-Lug (fits Ford Super-Duty) #SHSD16
- S/O 19.5" Ford Super-Duty #SHAF95
- S/O 19.5" Chevy/GMC P-30 10-Lug Chassis - to 1997 #SHAG95
- S/O 19.5" Chevy/GMC P-30 10-Lug Chassis - 97" to Current #SHG795
- S/O 19.5" John Deere, Oshkosh, Roadmaster & Dodge M600 6-Lug #SHAJ95
- S/O 19.5" Dodge M500 5-Lug Wheel #SHAD95
- S/O 19.5" 1993 Chevy GP Cutaway 8-Lug (Wheel #27774 & 29015) #SHAE95

Replacement Stainless Steel Wheel Cover, Each:

- 34740** 16" Single Wheel Cover #SHFM16-COV 1
- S/O 16.5" Single Wheel Cover #SHFM65-COV
- S/O 19.5" Front or Rear Wheel Cover (without center cap) #SHAG95-COV
- S/O Front Bracket Hardware #SHAG95-FBS
- S/O Rear Bracket Hardware #SHAG95-RBS

Replacements Parts, Each:

- 34739** Replacement Center Cap for 19.5" Wheel Cover, Ea. #SHAU95-CAP 25
- 34588** Replacement Simulated Lug Nut for Wheel Covers, Each #SHAU-LNC 12



These great looking simulators combine Dicor's road proven retention system with the attractive styling of a liner. Polished 304L stainless steel provides years of durability and beauty. With one-piece construction featuring permanently attached stainless steel lug nut covers, there are no loose parts, no assembly and no lug nut removal. Superior contoured styling features protective rolled edges for added strength and handling safety. Wheel Covers will not fit Budd Wheels or Split Rims. One-year limited warranty against manufacturing defects.



FL SERIES

FastLiner, FL Series:

- 34733** 16" Standard Universal Ford, Chevy & Dodge. 8-Lug/4-Hand Hole #FL60-59 1
- S/O 16" Ford 1992 - Current E350, 8-Lug/8-Hand Hole, Accuride #28618 #FL62
- S/O 16", 2008 to Current Sprinter #SHSF
- S/O 16.5" Standard Universal Ford, Chevy & Dodge. 8-Lug/4-Hand Hole #FL65



FLS SERIES

FastLiner, FLS Series:

- S/O 6-Lug, Fits Most 15" Truck, Van & Trailer Single Wheels #FLS50
- S/O 6-Lug, Fits Most 16" Truck, Van & Trailer Single Wheels #FLS60



VERSA-LOK ABS HUB COVERS



Provides great appearance coupled with the best retention system on the market today. Made of temperature-stable ABS plastic in sizes to fit most trailer wheels. Rather than depend on friction-fit covers, Versa-Lok® covers actually lock onto the wheel with a simple twist. No tools required for installation or removal. The patent pending attachment system allows easy access to the wheel hubs for checking or lubricating purposes without the potential damage caused by prying them off. Tested at a leading automotive testing laboratory, this dependable retention system surpasses stringent automotive standards.

Versa-Lok ABS Hub Cover, Each:

- 39922** Chrome 5-Lug on 4-1/2" Bolt Circle #TAC545-CC 12
- 39923** Chrome 6-Lug on 5-1/2" Bolt Circle #TAC655-CC 12
- S/O Chrome 8-Lug on 6-1/2" Bolt Circle #TAC-865-CB



ACCESSORY PRODUCTS



- 38883** ^{LS} Valve Caps, 6/Set (Elkhart only) #VC-6C 6
- 38884** ^{LS} Lug Nut Covers, 1" Light Chassis, 8/Set (Elkhart only) #GP-95-LNC-8C 1
- 38885** ^{LS} Lug Nut Covers, 1-1/16" Light Chassis, 8/Set (US only) #F2-LNC-8C 1
- 38886** ^{LS} Lug Nut Covers, 1-1/2" Medium Chassis, 6/Set (US only) #J6-LNC-6C 1
- 38887** ^{LS} Lug Nut Puller (Elkhart only) #LNCP-C 1